

BASIC

Consumables Reorder Form

Maintaining your Air Science basic fume just became easier.

Three easy ways to reorder service items for your fume hood.

- 1. Fill out the form on the next page and fax it to 800-306-0677 or 239-489-0922; OR
- 2. Send an email to Air Science: reorder@air-science.com with the part numbers you need to order or attach a purchase order; OR
- 3. Complete your entire order online at www.filtcofilters.com.





Purair P5-24-XT SafeSEARCH

CONSUMABLES SELECTION

Option	Part Number	Description	Price C	Quantity Total
1 he	ASTS-PRF	Replacement Pre-filters - 6 pack. (Change every 2-3 months)	126.00 ×	=
	ASTS-	Replacement Main Filter. (Change every 12 months - select NOTE: See guide below to determine number of filters req	t specific filter below) uired.	
	ASTS-001	GP Filter	220.00 ×	=
	ASTS-030	HEPA Filter	220.00 ×	=
	ASTS-015	ACI Filter	255.00 ×	=
	ASTS-013	FOR Filter	285.00 ×	=
	ASTS-012	AMM Filter	255.00 ×	=
	ASTS-002	ACR Carbon Filter	325.00 ×	=
	ASTS-003	ACM Carbon Filter	285.00 ×	=
	ASTS-016	SUL Carbon Filter	255.00 ×	=

TOTAL:



HELP GUIDE

M. Main Filter Area: You need one main filter and one pre-filter for each blue filter door. This example shows that one main filter and one pre-filter is needed.

W. Filter Part Number: Look in the filter window to determine the main filter part number. Occasionally, filters are "double stacked," meaning two filters are seen in each blue filter door window.

Purair P5-24-XT

ACCESS	ORIES FOR	ALL UNITS

Gastec Pump™	495.00	×	 =	
Direct Reading Gas Detection Tubes - 10 pack. Specify target gas.	90.00	×	 =	
Dwyer Airflow Meter	59.00	×	 =	

Purchaser's Name:	Phone:	Email:	
Ship to Name:	Ship to		
Credit Card Number ot needed with PO):			
Expiration Date:	CV Code:	Billing Zip Code:	
Purchase Order Number:		be charged unless your Imber is provided here:	
would like us to review your unit's his information, company name, and (if e			



120 6th Street \ Fort Myers, FL 33907 T. 239-489-0024 \ Toll Free. 800-306-0656 \ F. 800-306-0677 www.airscience.com



